

Quick launch layout
Support launch APK directly
in a free window



Play Video



Notice board



Display pictures



20 Multiple
Touch Points




Whiteboard Software
for both Android and
Windwos



Document
Presentation



Document
Annotation



OTA upgrade



Multi-Screen Interactive
And Sharing



Wifi/ BT/ LAN
Support



Ultra HD- 4K



Built-In
15W x2 Speakers



Abundant
I/O Ports



QR Code
Share



Built-in
OPS Slot




Optional
Built-in or External
Camera



Dual System

PRODUCT VIEW



Front View (4K UI)



Side View (Black)

ABUNDANT FRONT PORTS AND BUTTONS

Convenient to connect your own PC, front USB ports are dynamic for android and windows OS

FRONT PORTS



ULTRA SLIM FRAME DESIGN



OPTIONAL ACCESSORIES



MOBILE STAND

Make meeting no place restriction




WIRELESS SCREEN CLICKER

One key clicking to share screen




INTELLIGENT PEN

Make Presentation Easier



WIRELESS SCREEN CLICKER

One key clicking to share screen



APPLICATION SCENARIO



Meeting



Training



Teaching



Presentation

INSTALLATION MODE



Installed with Wall Mount



Installed with Mobile Stand

Specification

Standard Model		TE-QS-98	
Display Backlight		D-LED Backlight	
Panel Type		TFT LCD Technology	
Resolution		3840*2160 UHD	
Brightness		350 cd/m ²	
Contrast		4000:1	
Screen Size(mm)		2158.8 x 1214.4mm	
Aspect Ratio		16:9	
View Angle		178°	
Screen Mode		16:9/4:3/dot to dot/full screen	
Color Depth		10bit, 1.07Billion colors	
Panel Response Time		8ms	
Minimum operation		16 hours per day x 7 days	
AG Tempered Glass		4mm thickness, 7H hardness	
Android Specification		Zero Gap Technology	
		Android 14.0	
		GPU G52*8	
		CPU A73*4+A53*4 , 2.28GHz	
		Dual wifi : WIFI 6+Bluetooth(5.0) + WIFI 5G; 5.0 BT	
		Ram: 16G DDR4	
		Storage: 256G EMMC	
		Full support for Full HD and 4K relolution (with OPS slot working with 4k 60Hz);	
		The file manager is supported	
		Screen sharing application is supported	
Input Ports		Local and online support for music player.	
		Rear: HDMI x2 , USB2.0x1,USB 3.0 x2, TOUCH USB x 2, TF card x1, RS232 x1, RJ45 x1, MIC x1, DP x1 , VGA/Audio x1, USB-C x1 , OPS slotx1	
		Front: USB 3.0x 3 , HDMI2.0x 1, Touch USB B Typex 1, USB-Cx 1	
		HDMI OUT x1, Coaxial x1, Headphonex 1 , RJ45 out x1	
		POWER/SOURE/MENU/VOL-/VOL+/REC/A.BLUE/PC/ES/RATIO/HOME	
Output Ports		POWER/SOURE/MENU/VOL-/VOL+/REC/A.BLUE/PC/ES/RATIO/HOME	
Front Button		Yes, it is an integrated brightness detector that automatically adjusts the brightness of the panel according to ambient light.	
Light Sensor		AC(100~240)V-50/60HZ	
Voltage		Speakers: 2x 15W	
Audio		Standby Power<1W	
Power Range		Rated Power<550W	
Touch Parameter	Touch Technology	Infared Touch	
	Touch Points	20 touch points for Android & 40 touch for Windows	
	Writing Mode	Finger or any opaque object	
	Accuracy	<2mm	
	Response Time	<10ms	
	Cusor Speed	180 dot/s	
	Connection Port	USB 2.0& 3.0	
	Operating System	Windows/Linux/Mac/Android	
	Working Temperature	0°C-40°C	
Accessories		Magnetic Pens*2, HDMI Cable*1, Touch USB Cable*1, Power Cable*1, Software download card*1, Remoter*1, Wall mounting bracket *1	
Product sizes(mm)		2215.6x1338.5x102.7	
Carton size(mm) (LX HX W)		2350x1500x280	
Weights (KGS)		94/114kgs	
Packing Qty		1 piece per carton	

**Specifications are subject to change without notice. Android is a registered trademark of Google Inc.